## AUTHOR INDEX


Adamafio, N.A., see Kostyo, J.L. (925) 314
Aikawa, J., see Munakata, H. (925) 325
Alemany, M., see López-Soriano, F.J. (925) 265
Arenaz, P., see Seal, G. (925) 226
Avvakumov, G.V. and Strel'chyonok, O.A.
Properties and serum levels of pregnancy-associated variant of human transcortin (925) 11

Baccichetti, F., see Vedaldi, D. (925) 101
Baden, H.P., Kubilus, J., Phillips, S.B., Kvedar, J.C. and Tahan, S.R.
A new class of soluble basic protein precursors of the cornified envelope of mammalian epidermis (925) 63
Bassett, M.E., Thornton, D.J., Sheehan, J.K. and Nieduszynski, I.A.
An enzyme-linked immunosorbent assay (ELISA) of denatured cartilage link protein (925) 347
Beaumont, P.C., see Myint, P. (925) 194
Belloc, F., Heilmann, E., Combrie, R., Boisseau, M.R. and Nurden, A.T.
Protein synthesis and storage in human platelets: a defective storage of fibrinogen in platelets in Glanzmann's thrombasthenia (925) 218
Bers, D.M., see Harrison, S.M. (925) 133
Beynon, R.J., see Place, G.A. (925) 185
Bladier, D., see Caron, M. (925) 290
Blake, S.M., see Myint, P. (925) 194
Boisseau, M.R., see Belloc, F. (925) 218
Brink, L., see Sadasivan, E. (925) 36
Brostedt, P., see Kostyo, J.L. (925) 314
Butler, J., Hoey, B.M. and Lea, J.S.
The reduction of anti-tumour diaziridinyl benzoquinones (925) 144

Caffieri, S., see Vedaldi, D. (925) 101
Cameron, C.M., see Kostyo, J.L. (925) 314
Campione, A.L., see Van Winkle, L.J. (925) 164
Caron, M., Joubert, R. and Bladier, D.
Purification and characterization of a $\beta$-galactoside-binding soluble lectin from rat and bovine brain (925) 290
Chan, P.-K., see Yung, B.Y.-M. (925) 74
Chetland, J., see Place, G.A. (925) 185
Combrie, R., see Belloc, F. (925) 218

Da Costa, M., see Sadasivan, E. (925) 36
Dall'Acqua, F., see Vedaldi, D. (925) 101
DeBelle, I. and Mak, A.S.
Isolation and characterization of tropomyosin kinase from chicken embryo (925) 17

Deeble, D.J., see Myint, P. (925) 194
Dick, C.M. and Hobkirk, R.
Characteristics and behavior during partial purification of estrogen sulfotransferase of guinea pig liver and chorion (925) 362
D'Ischia, M., see Palumbo, A. (925) 203
Dounce, A.L., see Sichak, S.P. (925) 282
Dumbrava, V.-A. and Pall, M.L.
Regulation of fructose 2,6-bisphosphate levels in *Neurospora crassa* (925) 210

Epstein, W.L., see Toku, S. (925) 48

Forsman, A., see Kostyo, J.L. (925) 314
Fryklund, L., see Kostyo, J.L. (925) 314
Fujiki, H., see Ohuchi, K. (925) 156
Fujimoto, S., see Tamaki, N. (925) 238
Fukuyama, K., see Toku, S. (925) 48

Galpin, I.J., see Place, G.A. (925) 185
Ganguly, N.K., see Goyal, J. (925) 341
Garg, U.C., see Goyal, J. (925) 341
Gasiewicz, T.A., see Kester, J.E. (925) 109
Gasnier, F., Morelis, R., Louisot, P. and Gateau, O.
Purification and properties of a mannosyltransferase solubilized from mitochondrial outer membranes (925) 297
Gateau, O., see Gasnier, F. (925) 297
Godfrey, D.A., see Parli, J.A. (925) 175
Goyal, J., Ganguly, N.K., Mahajan, R.C., Garg, U.C. and Walia, B.N.S.
Studies on the mechanism of *Escherichia coli* heat-stable enterotoxin-induced diarrhoea in mice (925) 341
Guerrero, M.G., see Iglesias, A.A. (925) 1
Guiotto, A., see Vedaldi, D. (925) 101

Harrison, S.M. and Bers, D.M.
The effect of temperature and ionic strength on the apparent Ca-affinity of EGTA and the analogous Ca-chelators BAPTA and dibromo-BAPTA (925) 133
Hashim, R., see Jones, G.R. (925) 57
Hayashi, N., see Munakata, H. (925) 325
Hayashi, Y., see Ohuchi, K. (925) 156
Heilmann, E., see Belloc, F. (925) 218
Hirasawa, N., see Ohuchi, K. (925) 156
Hobkirk, R., see Dick, C.M. (925) 362
Hoey, B.M., see Butler, J. (925) 144
Holzer, H., see Schäfer, W. (925) 150
Hsu, C.-C., see Munakata, H. (925) 325
Huang, T.-F., Wu, Y.-J. and Ouyang, C.

Characterization of a potent platelet aggregation inhibitor from *Agkistrodon rhodostoma* snake venom (925) 248
Hwang, S.Y. and Oishi, K.
Properties of γ-glutamyl arylamidase activity of the heavy subunit of γ-glutamyl arylamidase from *Bacillus* sp. strain No. 12 (925) 356

Iglesias, A.A., Serrano, A., Guerrero, M.G. and Losada, M.
Purification and properties of NADP-dependent non-phosphorylating glyceraldehyde-3-phosphate dehydrogenase from the green alga *Chlamydomonas reinhardtii* (925) 1
Inaoka, Y. and Tamaoki, H.
Purification and characterization of enkephalinase B from rat brain membrane (925) 27
Isemura, M., see Munakata, H. (925) 325

Jones, G.R., Hashim, R. and Power, D.M.
The interaction between heparin and antithrombin III: a comparison of two different heparin-dye conjugates (925) 57
Joubert, R., see Caron, M. (925) 290

Kalisz, H., see Schäfer, W. (925) 150
Kappesser, S., see Meisch, H.-U. (925) 234
Kester, J.E. and Gasiewicz, T.A.
Influence of proteinase inhibitors and substrates on 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD)-binding capacity of the rat hepatic *Ah* receptor (925) 109
Kikugawa, M., see Tamaki, N. (925) 238
Knox, C.N., see Vedaldi, D. (925) 101
Kodama, C., see Munakata, H. (925) 325
Kostyo, J.L., Skottner, A., Brostedt, P., Roos, P., Cameron, C.M., Forsman, A., Fryklund, L., Adamafio, N.A. and Skoog, B.
Biological characterization of purified native 20-kDa human growth hormone (925) 314
Kovács, T., see Papp, B. (925) 241
Kubilus, J., see Baden, H.P. (925) 63
Kurup, C.K.R., see Nair, N. (925) 332
Kvedar, J.C., see Baden, H.P. (925) 63

Land, E.J., see Vedaldi, D. (925) 101
Lange, S., see Lönnroth, I. (925) 117
Lea, J.S., see Butler, J. (925) 144
Lérant, I., see Papp, B. (925) 241
Lönnroth, I. and Lange, S.
Intake of monosaccharides or amino acids induces pituitary gland synthesis of proteins regulating intestinal fluid transport (925) 117
López-Soriano, F.J. and Alemany, M.
Effect of cold-temperature exposure and acclimation on amino acid pool changes and enzyme activities of rat brown adipose tissue (925) 265
Losada, M., see Iglesias, A.A. (925) 1
Louisot, P., see Gasnier, F. (925) 297

Machovich, R., see Papp, B. (925) 241
Maclachlan, G., see Torossian, K. (925) 305
Mahajan, R.C., see Goyal, J. (925) 341

Mähar, A., Siigur, E. and Siigur, J.
Purification and properties of a proteinase from *Vipera lebetina* (snake) venom (925) 272
Mak, A.S., see DeBelle, I. (925) 17
Meisch, H.-U. and Kappesser, S.
Activation of serine sulphydrase from baker's yeast (*Saccharomyces cerevisiae*) by vanadate (925) 234
Misuraca, G., see Palumbo, A. (925) 203
Mizota, C., see Tamaki, N. (925) 238
Morelis, R., see Gasnier, F. (925) 297
Munakata, H., Hsu, C.-C., Kodama, C., Aikawa, J., Sakurada, M., Ototani, N., Isemura, M., Yosizawa, Z. and Hayashi, N.
Isolation of dermatan sulfate with high heparin cofactor II-mediated thrombin-inhibitory activity from porcine spleen (925) 325
Myint, P., Deeble, D.J., Beaumont, P.C., Blake, S.M. and Phillips, G.O.
The reactivity of various free radicals with hyaluronic acid: steady-state and pulse radiolysis studies (925) 194

Nagy, Z., see Papp, B. (925) 241
Nair, N. and Kurup, C.K.R.
Effect of administration of diethylhexyl phthalate on the function and turnover of rat hepatic mitochondria (925) 332
Nakamura, S. and Sakata, Y.
Immunoaffinity purification of protein C by using conformation-specific monoclonal antibodies to protein C–calcium ion complex (925) 85
Nieduszynski, I.A., see Bassett, M.E. (925) 347
Nurden, A.T., see Belloc, F. (925) 218

Ohuchi, K., Watanabe, M., Takahashi, C., Hayashi, Y., Hirasawa, N., Tsurufuji, S., Fujiki, H. and Sugimura, T.
Analysis of tumor-promoter-induced inflammation in rats: participation of histamine and prostaglandin $E_2$ (925) 156
Oishi, K., see Hwang, S.Y. (925) 356
Omori-Satoh, T., see Yamakawa, Y. (925) 124
Ototani, N., see Munakata, H. (925) 325
Otter, R., see Wendel, A. (925) 94
Ouyang, C., see Huang, T.-F. (925) 248

Pall, M.L., see Dumbrava, V.-A. (925) 210
Palumbo, A., D'Ischia, M., Misuraca, G. and Prota, G.
Effect of metal ions on the rearrangement of dopachrome (925) 203
Papp, B., Kovács, T., Lérant, I., Nagy, Z. and Machovich, R.
Conditions of formation of the heparin-fibronectin-collagen complex and the effect of plasmin (925) 241
Parli, J.A., Godfrey, D.A. and Ross, C.D.
Separate enzymatic microassays for aspartate aminotransferase isoenzymes (925) 175
Phillips, G.O., see Myint, P. (925) 194
Phillips, S.B., see Baden, H.P. (925) 63
Place, G.A., Chetland, J., Galpin, I.J. and Beynon, R.J.
The effect of analogues of chymostatin on lysosomal and non-lysosomal components of protein degradation in isolated hepatocytes (925) 185

Power, D.M., see Jones, G.R. (925) 57
Prota, G., see Palumbo, A. (925) 203

Roos, P., see Kostyo, J.L. (925) 314
Ross, C.D., see Parli, J.A. (925) 175
Rothenberg, S.P., see Sadasivan, E. (925) 36

Sadahiro, S., see Yamakawa, Y. (925) 124
Sadasivan, E., Da Costa, M., Rothenberg, S.P. and Brink, L.
Purification, properties, and immunological characterization of folate-binding proteins from human leukemia cells (925) 36
Sakata, Y., see Nakamura, S. (925) 85
Sakurada, M., see Munakata, H. (925) 325
Schäfer, W., Kalisz, H. and Holzer, H.
Evidence for non-vacuolar proteolytic catabolite inactivation of yeast fructose-1,6-bisphosphatase (925) 150
Seal, G., Arenaz, P. and Sirover, M.A.
Purification and properties of the human placental uracil DNA glycosylase (925) 226
Serrano, A., see Iglesias, A.A. (925) 1
Sheehan, J.K., see Bassett, M.E. (925) 347
Sichak, S.P. and Dounce, A.L.
A study of the catalase monomer produced by lyophilization (925) 282
Siigur, E., see Mähar, A. (925) 272
Siigur, J., see Mähar, A. (925) 272
Sirover, M.A., see Seal, G. (925) 226
Skoog, B., see Kostyo, J.L. (925) 314
Skottner, A., see Kostyo, J.L. (925) 314
Strel'chyonok, O.A., see Avvakumov, G.V. (925) 11
Sugimura, T., see Ohuchi, K. (925) 156

Tahan, S.R., see Baden, H.P. (925) 63
Takahashi, C., see Ohuchi, K. (925) 156
Tamaki, N., Fujimoto, S., Mizota, C. and Kikugawa, M.
Identity of β-alanine–oxo-glutarate aminotransferase and L-β-aminoisobutyrate aminotransferase in rat liver (925) 238
Tamaoki, H., see Inaoka, Y. (925) 27
Thornton, D.J., see Bassett, M.E. (925) 347
Toku, S., Fukuyama, K. and Epstein, W.L.
Purification and some properties of bound cysteine proteinase inhibitor from cornified cells of newborn rat epidermis (925) 48
Torossian, K. and Maclachlan, G.
Glycosyltransfer by pea membranes from sugar nucleotides to added prenyl phosphates (925) 305
Truscott, T.G., see Vedaldi, D. (925) 101
Tsurufuji, S., see Ohuchi, K. (925) 156

Van Winkle, L.J. and Campione, A.L.
Development of amino acid transport system $B^{0,+}$ in mouse blastocysts (925) 164
Vedaldi, D., Dall'Acqua, F., Guiotto, A., Caffieri, S., Baccichetti, F., Knox, C.N., Truscott, T.G. and Land, E.J.
Photochemical, photophysical and photobiological properties of some methylallopsoralens which are potential agents for photochemotherapy (925) 101

Walia, B.N.S., see Goyal, J. (925) 341
Watanabe, M., see Ohuchi, K. (925) 156
Wendel, A. and Otter, R.
Alterations in the intermediary metabolism of selenium-deficient mice (925) 94
Winkler, B.S.
In vitro oxidation of ascorbic acid and its prevention by GSH (925) 258
Wu, Y.-J., see Huang, T.-F. (925) 248

Yamakawa, Y., Omori-Satoh, T. and Sadahiro, S.
Purification, characterization and substrate specificity of a basic proteinase in the venom of Habu (*Trimeresurus flavoviridis*) (925) 124
Yosizawa, Z., see Munakata, H. (925) 325
Yung, B.Y.-M. and Chan, P.-K.
Identification and characterization of a hexameric form of nucleolar phosphoprotein B23 (925) 74